TEST REPORT

Applicant	Yisheng Innovation Technology Limited
Address	Room 01, 26/F, Industrial Building, 21 Yiu Wah Street, Causeway Bay, Hong Kong
Manufacture	Huizhou JIANYAO HARDWARE PRODUCTS Co. LTD
Address	204 Qian 'an Community, Li Lin Village, Li Lin Town, Huicheng District, Huizhou City
Sample Name	Cabinet
Model	CBN138B06
Serial Model	CBN138B23
Labeled Age Grading	18 Years +
Requested Age Grade	18 Years +
Tested Age Grading	18 Years +
Date of Receipt	Jun. 27, 2025
Date of Test	Jun. 27, 2025 to Jul. 02, 2025
Date of Report	Jul. 07, 2025
Test laboratory	Guangdong KAIXU Testing Technology Co., Ltd.
Test location	Room 215, Building 2, No. 123, Dongcheng Section, Guanlong Road, Dongcheng Street, Dongguan City, Guangdong Province, China

Test Conclusion:

Test Requested	Result
As requested by the applicant, refer to attached page(s) for details.	See next page

****** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ******

Signed for and on behalf of KAIXU Test International

Tested by: Cathy

Approved by: Martin

GUANGDONG KAIXU TESTING TECHNOLOGY CO., LTD. KTi APPROVAL

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

Summary of Test Results:

Test Standard		Conclusion
1	ASTM F2057-23: Standard Safety Specification for Clothing Storage Units	Pass
2	16 CFR 1500. the hazards of sharp points, sharp edges, small parts are assessed both before and after applicable use and abuse tests	NA
3	Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103-Tracking Labels for Children's Products- Tracking label requirement.	Pass
4	USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead- Containing Paint USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children´s products containing Lead; Lead paint rule	Pass
5	USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates USA 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
6	40 CFR PART 770—Formaldehyde Standards for Composite Wood Products ASTM E1333-22 Standard Test Method for Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber	Pass

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

Test Results:

1. ASTM F2057-23 Standard Safety Specification for Clothing Storage Units

Section	Test request	Result(s)	Verdict
1	**Scope**		
2	**Referenced Documents**		
3	**Terminology**		
4	**Performance Requirements**		
4.4	Tip over restraint: Tip over restraints shall be included with each item of furniture	M	Pass
4.5	ASTM F3096 cl. 4: Tip over restraint shall withstand the static load of 60lb (27 kg) and maintain for 30 s.	M	Pass
4.6	Interlock Requirements	NA	/
6	**Test Method - Scope**		
7	**Significance and Use**		
8	**Test Setup**		
9	**Test Procedure**		
9.1	Evaluate Interlock System	NA	/
9.2.1	Simulated Clothing Load	M	Pass
9.2.2	Simulated Horizontal Dynamic Force	M	Pass
9.2.3	Simulated Reaction on Carpet w/Child Weight	M	Pass
9.3	Permanency of Labels and Warnings Testing	M	Pass
9.3.1	Paper label: A paper label shall be considered permanent if, during an attempt to remove it without the aid of tools or solvents, it cannot be removed, it tears into pieces upon removal, or such action damages the surface to which it is attached.	M	Pass
9.3.2	Non-paper label: A non-paper label shall be considered permanent if during an attempt to remove it without the aid of tools or solvents, it cannot be removed or such action damages the surface to which it is attached.	NA	/
9.3.3	Adhesion Test for Warnings Applied Directly onto the Surface of the Product	NA	/
10	**Marking and Labeling**		
10.1	Warnings on Product	M	Pass
10.2	Warnings Format and Content	M	Pass
11	**Precision and Bias**		
Additional Requirements acc. ASTM F3096			
ASTM	Instructional Literature:	M	Pass

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

Section	Test request	Result(s)	Verdict
F3096-14 cl.5	Installation instruction shall include a minimum the following: • Illustration showing installation method • Detailed written instructions with step by step instructions on how to properly attached the tip over restraint • Parts list including illustrations		
ASTM F3096-14 cl.6	The following information shall be provided with each tip over restraint • Manufacturer's name and address • Date of manufacture (capable of identifying at a minimum the month and year of manufacture)	M	Pass

Note: M = Meet NA = Not Applicable

2. As per 16 CFR 1500. the hazards of sharp points, sharp edges, small parts are assessed both before and after applicable use and abuse tests

The following clauses are identified to be applicable:

Age grading for testing: 18 Years +

Test standard	Test Condition		Sharp point (1500.48)	Sharp edge (1500.49)	Small Parts 16 CFR 1501	Rattle Test* 16 CFR 1510
1500.50	Simulating use testing		NA	NA	NA	NA
1500.50	Abuse testing		NA	NA	NA	NA
1500.53	Impact Test	3 times	NA	NA	NA	NA
1500.53	Torque Test	4 in-lbf	NA	NA	NA	NA
1500.53	Tension Test	15 lbf	NA	NA	NA	NA
1500.53	Compression	30 lbf	NA	NA	NA	NA
1500.53	Flexure Test	--	NA	NA	NA	NA
1500.53	Bite Test	--	NA	NA	NA	NA
1500.121	Labeling requirements; prominence, placement, and conspicuousness					
1500.19	Misbranded toys and other articles intended for use by children					
Note:	*The abuse test of the rattle component(s) is according to part 1500.51					
	P = Pass NA = Not Applicable F = Fail NT = Not Test					

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

3. CPSIA Tracking labels

Test method: As per CPSIA 2008 sec. 103. Tracking labels for children's products.

Requirement	Result(s)	Verdict
On Packaging		
Present on packaging	M	Pass
Permanent	M	Pass
Manufacturer or private labeler	M	Pass
Location of production (City and country)	M	Pass
Date of production (month and year)	M	Pass
On Product		
Present on product	M	Pass
Permanent	M	Pass
Location of production (City and country)	M	Pass
Date of production (month and year)	M	Pass
Manufacturer or private labeler	M	Pass

Note: M = Meet

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

4. CPSIA Total Lead:

Consumer Product Safety Improvement Act 2008 (CPSIA) (H.R.4040) Section 101

Children's products containing lead; lead paint rule.

CPSC - 15 U.S.C.§1278a. Children's products containing lead; lead paint rule

USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead- Containing Paint

Test Method and Test Equipment:

Test Item	Test Method	Test Equipment
Total Lead(Non-Metal products)	CPSC-CH-E1002-08	ICP-OES
Total Lead(Metal products)	CPSC-CH-E1001-08	ICP-OES
Paint and Other Similar Surface Coatings	CPSC-CH-E1003-09.1	ICP-OES

Test Result:

No.	Test Item	Unit	MDL	Limit	Result
1	Total Lead(Non-Metal products)	mg/kg	5	100	N.D.
2	Total Lead(Non-Metal products)	mg/kg	5	100	N.D.
3	Total Lead(Non-Metal products)	mg/kg	5	100	N.D.

Note: 1. mg/kg= ppm

2. N.D.= Not Detected(<MDL)

3. MDL = Method Detection Limit

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

5. Phthalates Content Test

- USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates
- USA 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Test Method and Test Equipment:

Test Item	Test Method	Test Equipment
Phthalate	CPSC-CH-C1001-09.3	GC-MS

Test Result:

Test Item(s)	Unit	Limit	MDL	Result		
				1	2	3
Dibutyl Phthalate(DBP)	mg/kg	1000	30	N.D.	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	mg/kg	1000	30	N.D.	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	1000	30	N.D.	N.D.	N.D.
Diisononyl Phthalate(DINP)	mg/kg	1000	30	N.D.	N.D.	N.D.
Di-iso-butyl ortho-phthalate (DIBP)	mg/kg	1000	30	N.D.	N.D.	N.D.
Di-n-pentyl phthalate (DPENP)	mg/kg	1000	30	N.D.	N.D.	N.D.
Di-n-hexyl phthalate (DHEXP)	mg/kg	1000	30	N.D.	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	mg/kg	1000	30	N.D.	N.D.	N.D.

Note: 1. mg/kg= ppm
2. N.D.= Not Detected(<MDL)
3. MDL = Method Detection Limit

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

6. Formaldehyde release

40 CFR PART 770—Formaldehyde Standards for Composite Wood Products

ASTM E1333-22 Standard Test Method for Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber

Temperature of the chamber: 23°C, R.H.: 50 %

Air Change rate, n[h-1]: 0.5

The environment temperature: 25°C

Emission Test Results after 3 Days

Result

Sample No.	Unit	MDL	Limit	Test Result
1	mg/m^3	0.002	0.11	0.05
2	mg/m^3	0.002	0.11	0.06
3	mg/m^3	0.002	0.11	0.05

Note: Limits as below

(a) for hardwood plywood, 0.05 ppm;

(b) for particleboard, 0.09 ppm;

(c) for medium-density fibreboard, 0.11 ppm;

(d) for thin medium-density fibreboard, 0.13 ppm;

(e) for a laminated product, 0.05 ppm.

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

Tracking labels for children's products

Product Label	
Product Name:	Cabinet
Model Name:	CBN138B06, CBN138B23
Manufacturer:	Huizhou JIANYAO HARDWARE PRODUCTS Co. LTD
Manufacturer Address:	204 Qian 'an Community, Li Lin Village, Li Lin Town, Huicheng District, Huizhou City
Age Grading:	18 Years +
Batch No.:	20250425
Date of manufacture:	20250425
Material:	Wood



This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

Sample Description:

No.	Description
1	Light Walnut Colored Wood Board
2	Dark Walnut Colored Wood Board
3	Light Walnut Colored Wood Handle

Tested sample photos










This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.









*** End of Report ***

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.