# Test Report



| | | |
|---|---|---|
| Applicant | : | Henan Huadu Office Furniture Group Co. Ltd |
| Address | : | South Section Of Dongfang Road, Mazhai, Zhengzhou City, China. |
| Manufacturer | : | Henan Huadu Office Furniture Group Co. Ltd |
| Address | : | South Section Of Dongfang Road, Mazhai, Zhengzhou City, China. |

**The submitted sample and sample information was/were submitted and identified by/on the behalf of the client.**

| | | |
|---|---|---|
| Sample Name | : | 2 Doors 2 Drawer Wardrobe |
| Model No. | : | HD-G2M2CYG-1808WH, W3387P351602, HD-G2M2CYG-1808BK, W3387P411306 |
| Labelled Age Grading | : | 3+ years old |
| Appropriate Age Grading for Testing | : | Over 3 years |
| Tested Age Grading | : | Over 3 years |
| Sample Received Date | : | December 07, 2025 |
| Testing Period | : | December 22, 2025 – December 24, 2025 |

| **Test Requested** | **Conclusion** |
|---|---|
| As requested by the applicant, refer to attached page(s) for details. | See next page |

**Test Result(s):** Please refer to the following page(s).

Signed for and on behalf of

Shenzhen GCT Testing Technology Co.,Ltd.

Edited by Sharon Yan Reviewed by Joyce Yuong Authorized Signatory



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement

| No. | Test Requested: | Conclusion |
|---|---|---|
| A | ASTM F2057 - 23 Standard Safety Specification for Clothing Storage Units | Pass |
| B | USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint. | Pass |
| C | USA Consumer Product Safety Improvement Act of 2008 (CPSIA) with amendment (H.R.2715) | |
| | 1. 16 CFR 1500.50.51.52.53 Simulating use and abuse | Pass |
| | 2. 16 CFR 1501 Small parts | N/A |
| | 3. 16 CFR 1500.48 Sharp point | Pass |
| | 4. 16 CFR 1500.49 Sharp metal or glass edge | Pass |
| | 5. 16 CFR 1500.44 Extremely flammable and flammable solids | Pass |
| | 6. Section 103 Tracking Labels for Children's Products | Pass |
| | 7. USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children´s products containing Lead; Lead paint rule. | Pass |
| | 8. CPSIA section 101(a)(2)-Lead in accessible substrate materials and 15 U.S.C. § 1278a Lead in Children's products | Pass |
| | 9. USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates. | Pass |



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement

**Tested Sample/Part Description:**

| NO. | Sample description |
|---|---|
| 1 | Copper colored metal screw |
| 2 | Silver metal (substrate) |
| 3 | White coating |

**Test Result(s):**

**A. ASTM F2057 - 23 Standard Safety Specification for Clothing Storage Units**

| Section | Test request | Result(s) |
|---|---|---|
| 4 | Performance Requirements | |
| 4.4 | Tip over restraint: Tip over restraints shall be included with each item of furniture | Pass |
| 4.5 | ASTM F3096 cl. 4: Tip over restraint shall withstand the static load of 60lb (27 kg) and maintain for 30 s. | Pass |
| 4.6 | Interlock Requirements | N/A |
| 9 | Test Procedure | |
| 9.1 | Evaluate Interlock System | N/A |
| 9.2.1 | Simulated Clothing Load | Pass |
| 9.2.2 | Simulated Horizontal Dynamic Force | Pass |
| 9.2.3 | Simulated Reaction on Carpet w/Child Weight | Pass |
| 9.3 | Permanency of Labels and Warnings Testing | Pass |
| 9.3.1 | Paper label:<br>A paper label shall be considered permanent if, during an attempt to remove it without the aid of tools or solvents, it cannot be removed, it tears into pieces upon removal, or such action damages the surface to which it is attached. | Pass |
| 9.3.2 | Non-paper label:<br>A non-paper label shall be considered permanent if during an attempt to remove it without the aid of tools or solvents, it cannot be removed or such action damages the surface to which it is attached. | N/A |
| 9.3.3 | Adhesion Test for Warnings Applied Directly onto the Surface of the Product | N/A |
| 10 | Marking and Labeling | |
| 10.1 | Warnings on Product | Pass |



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement

| Section | Test request | Result(s) |
|---|---|---|
| 10.2 | Warnings Format and Content | Pass |
| Additional Requirements acc. ASTM F3096 | | |
| ASTM F3096-14 cl.5 | Instructional Literature:<br>Installation instruction shall include a minimum the following:<br>• Illustration showing installation method<br>• Detailed written instructions with step by step instructions on how to properly attached the tip over restraint<br>Parts list including illustrations | Pass |
| ASTM F3096-14 cl.6 | The following information shall be provided with each tip over restraint<br>• Manufacturer's name and address<br>Date of manufacture (capable of identifying at a minimum the month and year of manufacture) | Pass |



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement

**B. USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint**

Test Method and Test Equipment:

| Test Item | Test Method | Test Equipment |
|---|---|---|
| Total Lead (Paint and Other Similar Surface Coatings) | CPSC-CH-E1003-09.1 | ICP-OES |

| Test Item | Unit | MDL | Limit | Test Result(s) |
|---|---|---|---|---|
| | | | | 3 |
| Total Lead (Paint and Other Similar Surface Coatings) | mg/kg | 5 | 90 | N.D. |

**C. USA Consumer Product Safety Improvement Act of 2008 (CPSIA) with amendment (H.R.2715)**

| Applicable Section | Description | Result |
|---|---|---|
| (1) 16 CFR 1500.50.51.52.53 | Normal use testing | Pass |
| | Abuse testing | Pass |
| | Impact test | Pass |
| | Bite test | N/A |
| | Flexure test | N/A |
| | Torque test (53e) | Pass |
| | Tension test (53f) | Pass |
| | Compression test(53g) | Pass |
| (2) 16 CFR 1501 | Identifying toys and other articles intended for use by Children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts. | N/A |
| (3) 16 CFR 1500.48 | Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age. | Pass |
| (4) 16 CFR 1500.49 | Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age. | Pass |



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement

**(5) 16 CFR 1500.44 Extremely flammable and flammable solids**

| Sample Name | Burning Rate(inch/sec)* | Limit (inch/sec) |
|---|---|---|
| 2 Doors 2 Drawer Wardrobe | DNI | 0.1 |

Note: In accordance with the 16 CFR 1500.44, the burning rate should not be greater than 0.1inch per second.

DNI =Did Not Ignited SE= Self-Extinguished IBE= Ignite but Extinguished

**(6) Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103.-Tracking Labels for Children's Products**

| Requirement | Result(s) |
|---|---|
| **On Packaging** | |
| Present on packaging | Not Request |
| Permanent | |
| Manufacturer or private labeler | Pass* |
| Location of production (City and country) | |
| Date of production (month and year) | |
| **On Product** | |
| Present on product | Not Request |
| Permanent | |
| Location of production (City and country) | Pass* |
| Date of production (month and year) | |
| Manufacturer or private labeler | |

*: Tracking labels evaluated based on the design draft provided by the client.



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement

**(7) USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children´s products containing Lead; Lead paint rule.**

Test Method and Test Equipment:

| Test Item | Test Method | Test Equipment |
|---|---|---|
| Total Lead (Paint and Other Similar Surface Coatings) | CPSC-CH-E1003-09.1 | ICP-OES |

| Test Item | Unit | MDL | Limit | Test Result(s) |
|---|---|---|---|---|
| | | | | 3 |
| Total Lead (Paint and Other Similar Surface Coatings) | mg/kg | 5 | 90 | N.D. |

**(8) CPSIA section 101(a)(2)-Lead in accessible substrate materials and 15 U.S.C. § 1278a Lead in Children's products**

Test Method and Test Equipment:

| Test Item | Test Method | Test Equipment |
|---|---|---|
| Total Lead(Non-Metal products) | CPSC-CH-E1002-08.3 | ICP-OES |
| Total Lead (Metal products) | CPSC-CH-E1001-08.3 | ICP-OES |

| Test Item | Unit | MDL | Limit | Test Result(s) | |
|---|---|---|---|---|---|
| | | | | 1 | 2 |
| Total Lead | mg/kg | 5 | 100 | N.D. | N.D. |



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement

**(9) USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates.**

Test Method and Test Equipment:

| Test Item | Test Method | Test Equipment |
|---|---|---|
| Phthalate | CPSC-CH-C1001-09.4 | GC-MS |

| Test item(s) | Unit | MDL | Limit | Test Result(s) |
|---|---|---|---|---|
| | | | | 3 |
| Diisobutyl phthalate (DIBP) | mg/kg | 50 | 1000 | N.D. |
| Dibutyl phthalate (DBP) | mg/kg | 50 | 1000 | N.D. |
| Di-n-pentyl Phthalate (DPENP) | mg/kg | 50 | 1000 | N.D. |
| Di-n-hexyl Phthalate (DHEXP) | mg/kg | 50 | 1000 | N.D. |
| Benzyl butyl phthalate (BBP) | mg/kg | 50 | 1000 | N.D. |
| Bis (2-ethylhexyl) phthalate (DEHP) | mg/kg | 50 | 1000 | N.D. |
| Dicyclohexly Phthalate (DCHP) | mg/kg | 50 | 1000 | N.D. |
| Di-iso-nonyl phthalate (DINP) | mg/kg | 100 | 1000 | N.D. |

**Note**: 1. mg/kg= ppm

2. ppm = part per million = mg/kg

3. N.D. = Not Detected (<MDL)

4. MDL = Method Detection Limit

5. N/A=Not Application

6. All/part tests requested for testing require to have a statement of conformity, but the measurement uncertainty isn't required to be accounted for checking/compliance. Then decision rule section 4.2.1.Binary Statement for Simple Acceptance Rule as stated in ILAC-G8:09/2019 will be used.



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement

**Photograph of Sample**





This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement





This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement





This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement



Shenzhen GCT Testing Co., Ltd.

Address: 401, No.5, Yongan Fang East, Baishixia Community, Fuyong Street, Baoan District, Shenzhen City, Guangdong Province, China

Tel:+86-755-23012984 Web:www.gct-testing.com E-mail:info@gct-testing.com

This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement




Shenzhen GCT Testing Co., Ltd.

Address: 401, No.5, Yongan Fang East, Baishixia Community, Fuyong Street, Baoan District, Shenzhen City, Guangdong Province, China

Tel:+86-755-23012984 Web:www.gct-testing.com E-mail:info@gct-testing.com

This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement



| | |
|---|---|
| Product Name: | 2 Doors 2 Drawer Wardrobe |
| Model No: | HD-G2M2CYG-1808WH，W3387P351602 |
| Brand Name: | HD Built |
| Manufacturer: | Henan Huadu Office Furniture Group Co. Ltd |
| Manufacturer Address: | South Section Of Dongfang Road, Mazhai, Zhengzhou City, China. |
| Importer: | LOBOS IOWA INC |
| Importer address: | 4623 Bittercreek Dr Colorado Springs CO 80922 US |
| Tel: | 1-312-363-9424 |
| Age of application: | 3+ |
| Batch: | HD-251114YMX |
| Date of manufacture: | 2025-DEC-01 |

Made in China





This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement





This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement





This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement





This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement



Shenzhen GCT Testing Co., Ltd.

Address: 401, No.5, Yongan Fang East, Baishixia Community, Fuyong Street, Baoan District, Shenzhen City, Guangdong Province, China

Tel:+86-755-23012984 Web:www.gct-testing.com E-mail:info@gct-testing.com

This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement




Shenzhen GCT Testing Co., Ltd.

Address: 401, No.5, Yongan Fang East, Baishixia Community, Fuyong Street, Baoan District, Shenzhen City, Guangdong Province, China

Tel:+86-755-23012984 Web:www.gct-testing.com E-mail:info@gct-testing.com

This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement




***** End of Report *****



This report is only responsible for the tet resulits ofthe sample submited for inspection, and is not responsile for the source ofthe samples submitled for inspection, This report shal not be atered, inereased or deleted. Without writen approval of GCT, this test report shallnotbe copied exceptin fill amd published as advertisement